


20 [18]

movexii.com



Movex[®]
PRODUCT OVERVIEW

Movex[®]

Global Thinking, Local acting.

Your business is stepping into the future.

Movex designs and manufactures high-quality components for the food, beverage, packaging, automotive and automation industries.

Movex meets your needs for standard and custom products in a dynamic and responsive manner providing the best design and after-sale support.

Innovation and service level are the goals of a qualified engineering and sales team with the objective of presenting Movex as a supplier-of-excellence to all clients.

Through a distribution-network which spans the globe, Movex offers constant evolution in design, performance & service.




MODULAR BELTS

8 mm pitch




510FT


1/2" pitch




520FT




520FG




520GT



520LBP




520M




521FT


3/4" pitch



590FT



590FT
OneTrackBelt



590FTT

Transfer Plate



Standard



with Rollers




with Positioner
and Bearings




for Micropitch


15 mm pitch




525HDFT




525HDFG




525HDGT




525GT
SideIndent




530FT



530GT




530GT
SideIndent




530LBP


1" pitch



550FT




550FT
OneTrackBelt



550FTT




550FG



550FG
OneTrackBelt




550GT




550GT
Side Indent




551FT




551FTT




551GT




551GT
Side Indent




551LBP



551PROLBP



552



552FTT




552FTT
OneTrackBelt




552PT



552PT
OneTrackBelt




552GT




552GT
Side Indent

Sideflex modular belt




556FT




556GT



600 Standard



600 Heavy duty



600 Heavy duty
with Bearings



600 Small radius



600 HD/Small radius



600 HD/Small radius
with Bearings

Sideflex chain-belt



260MFT



260MFG



260TAB



261MFT



261TAB



500RR



Zero Contact

Raised Rib 2" pitch

Zero Contact

BELT SPROCKETS



510



521



520



525-530



590



550



551



552



260/261



556



600



Zero Contact




500 RR



500 RR Split V.

STEEL CHAINS

Straight chain



Side flexing chain




PLASTIC CHAINS

Straight chain




Side flexing chain




Special chain



CHAIN SPROCKETS AND IDLER WHEELS




CONVEYOR COMPONENTS



RETURN COMPONENTS




219/201/202
ø40/ø50/ø60



220/203/204
ø47/ø57/ø67



222/224/226
ø40/ø50/ø60



223/225/227
ø47/ø57/ø67



228



209



230



210



211



207
ø40/ø50/ø60/
ø70/ø80



233
ø25/ø60/ø70/
ø90

New



213



215-221



217



230



231

CONVEYOR SUPPORT COMPONENTS



401



402



403



404



407



408



409



499

New



410



411



426



427



425



413



417



414



419



420



415




416



428



429




430



418



421



422



423



424

BEARING SUPPORTS



UCFL



UCF



UCFA



UCFL-H



UCF-H



CL



CS



FL/F/FB



SUCF/SUCFL/SUCFK

LEVELING PADS



Basic 901/909
ø40/ø50/ø60



Basic 953/957
ø80/ø100/ø120



908



Standard
910/918



943/947
ø100



948/952
ø123



Muscle Fixing
958/959
ø123



Easy Clean
919/980



Easy Clean
985/991



Easy Clean
934/939




Easy Clean
992/993

New



960/971

MAGNETIC CORNER TRACKS



Movex Curves

Movex Curves are designed to offer better conveyor performance. Suitable for steel and plastic chains, our curves are produced with computer controlled machines with a smooth chain guide surface.


- Available in different materials and designs:
- Standard UHMW-PE (standard applications)
 - BluLub (limited or no lubrications)
 - RS (high performance)

Movex Curves produced in RS and BluLub materials need less energy and with a lower coefficient of friction, improve product stability and chain wear-life.

These curves are perfectly interchangeable with the standard design.



PROFILES UHMW-PE and *BluLub*



20 [18]



Movex S.p.A.

Viale Industria, 22 - 24060
Castelli Calepio (BG) - Italy
P +39 035 8359711
F +39 035 4420873

Movex (Shanghai) Co. Ltd.

Room 1009, No.1728
Huang xing Road
Shanghai, China 200433
P +86 21 65037822
F +86 21 65032692

Movex USA Inc.

78 Corporate Way
Evington, Virginia 24550
P +1-434-616-2590
Toll Free +1-800-461-5179
info-USA@movexii.com

Movex GmbH

Alfred-Nobel-Strasse, 4
68519 Viernheim - Germany
P +49 (0) 6204 9375-0
F +49 (0) 6204 9375-55

Movex Brasil Ltda

Rua Augusto Gutierrez
229 Eden - CEP 18103-011
Sorocaba - SP - Brasil
P +55 15 3141-2550
info-brasil@movexii.com

Movex SA de CV

Av. Aviacion 6503 Bodega B5
Ciudad Granja Zapopan
Jalisco 45010 - Mexico
P (33) 3110-0808
M (33) 1845-8187

Movex France

P +33 06 06 81 99 76
F +33 09 70 62 50 98

Movex Nederland

P +31 (0) 630 99 48 50

Movex Canada Ltd.

P +1-434-616-2590
Toll Free +1-800-461-5179

Movex AG

info@movexindia.com
www.movexindia.com

Movex UK Ltd.

P +44 7720 678442